



GAUTENG PROVINCE
EDUCATION
REPUBLIC OF SOUTH AFRICA

GAUTENGSE DEPARTEMENT VAN ONDERWYS
PROVINSIALE EKSAMEN
2015
GRAAD 9

WISKUNDE

MEMORANDUM

8 bladsye

GAUTENG ONDERWYS DEPARTEMENT
PROVINSIALE EKSAMEN

WISKUNDE

AFDELING A**VRAAG 1**

1.1	B	✓
1.2	D	✓
1.3	D	✓
1.4	C	✓
1.5	D	✓
1.6	D	✓
1.7	B	✓
1.8	C	✓
1.9	B	✓
1.10	C	✓

[10]

AFDELING B**VRAAG 2**

- 2.1 $b = 5$ ✓ (1)
- 2.2 R800 ✓ (1)
- 2.3 $3\sqrt{2}$ ✓ (1)
- 2.4 $(2x)^3 \times -2x^2$
 $8x^3 \times -2x^2$ ✓
 $-16x^5$ ✓ (2)
- 2.5 $P = A(1+i)^n$ ✓
 $= 2000(1+0,06)^5$ ✓
 $= R2676,45$ ✓ (3)

$$2.6 \quad I = \frac{Pnr}{100}$$

$$675 = \frac{2500 \times n \times 9}{100} \checkmark$$

$$675 = 225n \checkmark$$

$$n = \frac{675}{225}$$

$$n = 3 \checkmark$$

Dit sal haar 3 jaar neem.

(3)

$$2.7 \quad 5+6+7=18 \checkmark$$

$$\begin{aligned} \text{Grootte} &= \frac{7}{18} \times 180^\circ \checkmark \\ &= 70^\circ \checkmark \end{aligned}$$

(3)

[14]**VRAAG 3**

3.1 3.1.1

Figuur	1	2	3	4
Aantal driehoeke	4	8	12✓	16✓

(2)

3.1.2 Tel 4 by elke term om die volgende term te bepaal. ✓

(1)

$$3.1.3 \quad T_1 = 4 = 4(1)$$

$$T_2 = 8 = 4(2)$$

$$T_3 = 12 = 4(3)$$

$$T_n = 4n \checkmark$$

(1)

$$3.2 \quad 3.2.1 \quad 3p^2q + 15pq^2 - 12pq$$

$$= 3pq \checkmark (p + 5q - 4) \checkmark$$

(2)

$$3.2.2 \quad 3x(x-3) + 2(3-x)$$

$$= 3x(x-3) - 2(x-3) \checkmark \checkmark$$

$$= (x-3)(3x-2) \checkmark$$

(3)

$$3.2.3 \quad 75x^3 - 12x$$

$$= 3x \checkmark (25x^2 - 4) \checkmark$$

$$= 3x(5x-2)(5x+2) \checkmark$$

(3)

$$3.3 \quad = 2(3)^2 + 5(3) - 12 \checkmark$$

$$= 18 + 15 - 12 \checkmark$$

$$= 21 \checkmark$$

(3)

[15]

VRAAG 4

4.1 Vereenvoudig.

$$\begin{aligned}
 4.1.1 \quad & \frac{2x^3y^3}{2x^4} \times \frac{4xy^3}{6y} \times \frac{3x^2}{xy^3} & \text{OF} & \quad \frac{6x^2y^5}{3xy^3} \checkmark\checkmark\checkmark & \text{OF} & \quad \frac{24x^6y^6}{12x^5y^4} \checkmark\checkmark\checkmark \\
 & = \frac{y^3}{x} \times \frac{2xy^2}{3} \times \frac{3x}{y^3} \checkmark\checkmark\checkmark & & & & = 2xy^2 \checkmark \\
 & = 2xy^2 \checkmark & & & & = 2xy^2 \checkmark
 \end{aligned}$$

(4)

$$\begin{aligned}
 4.1.2 \quad & \sqrt[3]{\frac{54x^6}{2x^3}} - \sqrt{\frac{8x^2y^3}{2y}} \\
 & = \sqrt[3]{27x^3} \checkmark - \sqrt{4x^2y^2} \checkmark \\
 & = 3x - 2xy \checkmark
 \end{aligned}$$

(3)

$$\begin{aligned}
 4.1.3 \quad & \frac{y+4}{3} - \frac{3y+2}{4} \\
 & = \frac{4(y+4) - 3(3y+2)}{12} \checkmark\checkmark \\
 & = \frac{4y+16-9y-6}{12} \checkmark \\
 & = \frac{-5y+10}{12} \checkmark
 \end{aligned}$$

(4)

$$\begin{aligned}
 4.1.4 \quad & \frac{(x+3)(x-2)}{4-2x} \\
 & = \frac{(x+3)(x-2)}{-2(x-2)} \checkmark\checkmark \\
 & = -\frac{(x+3)}{2} \checkmark
 \end{aligned}$$

(3)

$$\begin{aligned}
 4.1.5 \quad & -3(x+2) + 4x - 3 + 2(2x-1) \\
 & = -3x - 6 \checkmark + 4x - 3 + 4x - 2 \checkmark \\
 & = 5x - 11 \checkmark
 \end{aligned}$$

(3)

4.2 4.2.1 $3(x+1) = 2x+3$
 $3x+3 = 2x+3 \checkmark$
 $3x-2x = 3-3 \checkmark$
 $x = 0 \checkmark$ (3)

4.2.2 $\frac{2x+1}{3} = 5 - \frac{1}{2}x$
 $\frac{2x+1}{3} \times 6 = 5 \times 6 - \frac{1}{2}x \times 6 \checkmark$
 $2(2x+1) = 30 - 3x \checkmark$
 $4x+2 = 30 - 3x \checkmark$
 $7x = 28 \checkmark$
 $x = 4 \checkmark$ (5)

4.2.3 $2^{x+1} = 16$
 $2^{x+1} = 2^4 \checkmark$
 $x+1 = 4 \checkmark$
 $x = 3 \checkmark$ (3)


4.3 $5x = 48 - x \checkmark$
 $6x = 48 \checkmark$
 $x = 8 \checkmark$ Die getal is 8 (3)
[31]

VRAAG 5

5.1 5.1.1 $4x + 2(0) = -3 \checkmark$
 $4x = -3$
 $x = -\frac{3}{4}$ **OF** $(-0,75; 0)$
 $(-\frac{3}{4}; 0) \checkmark$ (2)

5.1.2 $(0; -\frac{3}{2}) \checkmark$ **OF** $(0; -1,5)$ (1)

5.1.3



(2)

$$5.2 \quad 5.2.1 \quad m = \frac{\Delta y}{\Delta x} = \frac{2}{2} \checkmark \quad \text{OF} \quad m = \frac{2-0}{0-(-2)} = 1$$

$$= 1 \checkmark \quad (2)$$

$$5.2.2 \quad y = x + 2 \checkmark \checkmark \quad (2)$$

[9]

VRAAG 6

$$6.1 \quad 6.1.1 \quad x = 36^\circ \checkmark \quad [\text{hoeke teenoor gelyke sye}] \checkmark \left(\frac{1}{2}\right)$$

$$y = 90^\circ - 36^\circ \checkmark \quad [\text{som van die binnehoeke van 'n driehoek}] \checkmark \left(\frac{1}{2}\right)$$

$$y = 54^\circ \checkmark \quad (4)$$

$$6.1.2 \quad \text{In } \triangle CAB$$

$$x = \hat{B} \checkmark \left(\frac{1}{2}\right) \quad [\text{hoeke teenoor gelyke sye}] \checkmark \left(\frac{1}{2}\right)$$

$$2x = 180^\circ - 80^\circ \checkmark \left(\frac{1}{2}\right) \quad [\text{buitehoek van 'n driehoek}] \checkmark \left(\frac{1}{2}\right)$$

$$x = 50^\circ \checkmark \left(\frac{1}{2}\right)$$

$$x = y + 25^\circ \checkmark \left(\frac{1}{2}\right) \quad [\text{som van die binnehoeke van 'n driehoek}] \checkmark \left(\frac{1}{2}\right)$$

$$y = 50 - 25^\circ \checkmark \left(\frac{1}{2}\right)$$

$$y = 25^\circ \checkmark \left(\frac{1}{2}\right) \quad (4)$$

$$6.2 \quad \hat{E} = \hat{G} \checkmark \left(\frac{1}{2}\right) \quad [\text{verwissellende hoeke; EF//HG}] \checkmark \left(\frac{1}{2}\right)$$

$$\hat{F} = \hat{H} \checkmark \left(\frac{1}{2}\right) \quad [\text{verwissellende hoeke; EF//HG}] \checkmark \left(\frac{1}{2}\right)$$

$$\left(\begin{array}{l} \text{OF} \\ \hat{O}_1 = \hat{O}_2 \text{ regoorstaande hoeke} \\ \therefore \triangle EFO \equiv \triangle GHO \checkmark \left(\frac{1}{2}\right) \quad [\text{HHS}] \checkmark \left(\frac{1}{2}\right) \end{array} \right)$$

$$FO = OH \checkmark \left(\frac{1}{2}\right) \quad [\text{gegee}] \checkmark \left(\frac{1}{2}\right) \quad (4)$$

$$6.3 \quad \frac{x}{17} = \frac{69}{23} \checkmark$$


$$x = 17 \times 3 = 51 \checkmark \checkmark$$

$$\frac{y}{75} = \frac{23}{69} \checkmark$$

$$3y = 75$$

$$y = 25 \checkmark \quad (5)$$

6.4



✓✓✓ (1 punt vir elke hoekpunt)

(3)

VRAAG 7**[20]**

$$7.1 \quad 7.1.1 \quad \text{Oppervlakte } \triangle DEF = \frac{1}{2} \times 8 \text{ cm} \times 6 \text{ cm} \quad \checkmark$$

$$= 24 \text{ cm}^2 \quad \checkmark$$

(2)

$$7.1.2 \quad V = (\text{Oppervlakte van basis}) \times (\text{Hoogte})$$

$$= 24 \text{ cm}^3 \times 15 \text{ cm} \quad \checkmark$$

$$= 360 \text{ cm}^3 \quad \checkmark$$

(2)

$$7.2.1 \quad \text{Omtrek} = 5 \times 6 \text{ cm} = 30 \text{ cm} \quad \checkmark$$

(1)

$$7.2.2 \quad OA^2 = OB^2 - AB^2$$

$$OA^2 = (5 \text{ cm})^2 - (3 \text{ cm})^2 \quad \checkmark$$

$$OA^2 = 25 \text{ cm}^2 - 9 \text{ cm}^2$$

$$OA^2 = 16 \text{ cm}^2 \quad \checkmark$$

$$OA = 4 \text{ cm} \quad \checkmark$$

(3)

$$7.2.3 \quad A = 10 (\text{Oppervlakte van } \triangle AOB) \quad \checkmark$$

$$= 10 \left(\frac{1}{2} \times 3 \text{ cm} \times 4 \text{ cm} \right) \quad \checkmark$$


$$= 60 \text{ cm}^2 \quad \checkmark$$

(3)

[11]

VRAAG 8

8.1



✓✓✓✓

(4)

8.2 Vir die paslyn, sien grafiek. ✓

(1)

8.3 Die handlengte is direkte eweredig aan die skoengrootte. ✓

(1)

8.4 Modus = 15 ✓

(1)

8.5 Gemiddeld = $\frac{12+13+10+15+12+15+11+16+15+11}{10}$ ✓

= 13 ✓

(2)

8.6 Variasiewydte: $9 - 2 = 7$ ✓

(1)

[10]**TOTAAL: 120**